

Product Information



KETTLE WASH ALKALINE RECIRCULATION CLEANER

CLEANS

- Brewing Vessels
 - Brew kettles
 - Mash tun
 - Hot liquor tank
 - Lauter tun
 - Chillers
- Fermenters & Uni-tanks
- Lines
- Stainless kegs
- Returnable bottles

FEATURES/BENEFITS

- Low-Foaming – Ideal for CIP
- Economical – full strength
- Unique blend of chelants - penetrates and removes beerstone deposits
- Concentrated blend of surfactants – effectively penetrates mineral scales
- Controls hard water conditions throughout the pH range - free rinsing, leaves no residue
- Effective in hard water conditions

DESCRIPTION

- KETTLE WASH is a high alkaline liquid, designed for use in all CIP/COP cleaning procedures found in the brewery. KETTLE WASH is formulated with sodium hydroxide, low foam surfactants, and a unique blend of water conditioning agents effectively controlling water hardness at high and low alkalinity ranges. This unique formulation penetrates, loosens and removes tenacious brewing soils.

USE DIRECTIONS

- For general cleaning in a brewery operation, use ½ to 2 ounces of KETTLE-WASH per gallon of water. Adjust concentration as needed. Temperatures of 120 - 180 F are common for CIP

The information contained herein is to our knowledge, true and accurate. Because conditions of use are beyond our control, we make no warranty or representation, expressed or implied, except that the products discussed herein conform to the chemical descriptions shown on their labels. Nothing contained herein should be construed as permission or recommendation to infringe any patent. No agent, representative, or employee of this company is authorized to vary any items of the notice.

Ace Chemical Products, Inc. • Milwaukee, Wisconsin 53224 • 1-800-248-8515 • brewcitysolutions.com

Product Information



KETTLE WASH

USE DIRECTIONS (continued)

- cleaning. Recirculate as needed to dislodge and remove soils. Rinse well with fresh water.
- For specific use recommendations, or answers to any cleaning or sanitation questions you may have, contact us at 1-800-248-8515.

TECHNICAL DATA

FORM	Liquid
COLOR	Light amber
ODOR	Slight ammonia
POUNDS PER GALLON	12.5
pH of a 1% SOLUTION	13.1
FOAMING	Low
BIODEGRADABLE	Complete
COMPATIBILITY	Avoid soft metals

8491-L03-js

Always observe label precautionary statements and follow the information provided in our Material Safety Data Sheet for this product. A safety video presentation is available on request.

The information contained herein is to our knowledge, true and accurate. Because conditions of use are beyond our control, we make no warranty or representation, expressed or implied, except that the products discussed herein conform to the chemical descriptions shown on their labels. Nothing contained herein should be construed as permission or recommendation to infringe any patent. No agent, representative, or employee of this company is authorized to vary any items of the notice.

Ace Chemical Products, Inc. • Milwaukee, Wisconsin 53224 • 1-800-248-8515 • brewcitysolutions.com